



**EC Declaration of Conformity**



**ASSA ABLOY**

**Adams Rite Europe Ltd**  
The Meadows, Cannock Road,  
Wolverhampton, WV10 0RR

Declare that the products: -

- Panic Exit Device 930 series**
- Panic Exit Device 940 series**
- Panic Exit Device 960 series**

are in conformity with the provisions of the following EC Directive when installed in accordance with the installation instructions contained in the product documentation: -

- **89/106/EEC Construction Products Directive**

and that the standards referenced below have been applied:

- **EN 1125: 2008** Panic exit devices operated by a horizontal bar, for use on escape routes

<b>Characteristic</b>	<b>Performance declaration</b>
Category of use	Grade 3
Durability	Grade 7
Door mass	Grade 6
Suitability for use on fire/smoke doors	Grade 0
Safety	Grade 1
Corrosion resistance	Grade 3
Security	Grade 2
Projection of horizontal bar	Grade 2
Type of horizontal bar operation	Grade B
Field of door application	Grade A

Intended use: **for use on single leaf and double leaf escape route doors**

Notified body: **Warrington Certification** EC Reference: **1121**

Performed the initial type testing for the above characteristics of the products, the initial inspection of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control as shown in Certificate of Conformity Number:

**1121-CPD-AAA014**

Signature	Name
	Mr David Wigglesworth

Position: Managing Director	Date: 21 <sup>st</sup> January 2010
-----------------------------	-------------------------------------